Index

IEE Proceedings Part B
Electric Power Applications
Vol. 132, 1985

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Ah Fock, A.L.D., and Bonwick, W.J. see Bonwick, W.J.
Al-Khalidi, K.M.S., and Williamson, A.C. see Williamson, A.C.
Allan, J., Mellitt, B., and Wu, W.Y. A gate-turn-off thyristor chopper for traction drives p245
Avery, C.R., and Crawshaw, G. Remote control of traction power over two wires c60

B

Baines, G.D., Chalmers, B.J., and Hamed, S.A. see Chalmers, B.J.
Bates, G.A., and Bradwell, A. see Bradwell, A.
Begg, M.C., and Williamson, S. see Williamson, S.
Belahrache, D., and Murgatroyd, P.N. see Murgatroyd, P.N.
Bhadra, S.N., and Rashid, M.H. see Rashid, M.H.
Bonwick, W.J., and Ah Fock, A.L.D. Synchronous machines with contrarotating armatures: steady-state behaviour p195
Bowes, S.R., and Davies, T. Microprocessor-based development system for PWM variable-speed drives p18
Bowes, S.R., and Midoun, A.H. Suboptimal switching strategies for microprocessor-controlled PWM inverter drives p133 p344
Boys, J.T., and Walton, S.J. A loss minimised sinusoidal PWM inverter p260
Bradley, D.A., Morfee, P.J., and Wilson, L.A. The New Zealand harmonic legislation p177
Bradwell, A., and Bates, G.A. Analysis of dielectric measurements on switchgear bushings in British Rail 25 kV electrification switching stations p1
Bredenkamp, G.L., and van Rhyn, P. The design of welder power supplies incorporating self-oscillating high-frequency transformer inverters p202

C

Cardwell, B.J., and Goodman, C.J. Response improvements in industrial DC drives derived from optimal analysis p171
Cathey, J.J. Helical motion induction motor p112
Chalmers, B.J., Hamed, S.A., and Baines, G.D. Parameters and performance of a high-field permanent-magnet synchronous p117
Chappell, P.H., and Davis, R.M. Microprocessor control of a 'hidden-link' convertor drive p87
Cork, P., and Hill, R.J. see Hill, R.J.
Crawshaw, G., and Avery, C.R. see Avery, C.R.

D

Davies, T., and Bowes, S.R. see Bowes, S.R.
Davis, R.M., and Chappell, P.H. see Chappell, P.H.
Dawson, G.E., Gieras, J.F., and Eastham, A.R. see Gieras, J.F.
Dunford, W.G., and Mirbod, S.A. see Mirbod, S.A.

E

Eastham, A.R., Gieras, J.F., and Dawson, G.E. see Gieras, J.F.
Elsamahy, A.M., Paul, R.J.A., and Fleming, P.J. see Paul, R.J.A.

F

Fleming, P.J., Paul, R.J.A., and Elsamahy, A.M. see Paul, R.J.A.
Funabiki, S., and Himei, T. Estimation of torque pulsation due to the behaviour of a convertor and an inverter in a brushless DC-drive system p215

G

Gieras, J.F., Eastham, A.R., and Dawson, G.E. Performance calculation for single-sided linear induction motors with a solid steel reaction plate under constant current excitation p185
Goodman, C.J., and Cardwell, B.J. see Cardwell, B.J.

H

Hackam, R., Hannalla, A.Y., and Salama, M.M.A. see Hannalla, A.Y.
Halász, S. Suboptimal switching strategies for microprocessor-controlled PWM inverter drives p344
Hamed, S.A., Chalmers, B.J., and Baines, G.D. see Chalmers, B.J.
Hannalla, A.Y., Salama, M.M.A., and Hackam, R. A new method of solution of electric-field problems in nonisotropic materials with built-in conducting strips using the nodal method p223
Hesmondhalgh, D.E., and Tipping, D. A miniature transformer-coupled high-speed synchronous motor p319
Hesmondhalgh, D.E., and Tipping, D. Torque availability from small synchronous motors using high coercivity magnets p279
Hill, R.J., Luo, F.L., and Jackson, R.D. see Luo, F.L.
Hill, R.J., and Cork, P. Chopper control of DC disc-armature motor using power MOSFETs p93
Himei, T., and Funabiki, S. see Funabiki, S.
Hobson, L., and Kargahi, M.R. see Kargahi, M.R.
Holmes, P.G. Single- to 3-phase transient phase conversion in induction motor drives p289

J

Jackson, R.D., Luo, F.L., and Hill, R.J. see Luo, F.L.
Jackson, R.D., and Pong, M.H. see Pong, M.H.
Jackson, R.J., Wilson, A., and Wang, N. see Wilson, A.
Jones, D.I. Response improvements in industrial DC drives derived from optimal analysis p171

K

Kargahi, M.R., and Hobson, L. Theoretical investigations into the use of conducting crucibles in medium-frequency metal melting p269

L

Laithwaite, E.R., and Williamson, S. see Williamson, S.
Lee, Y.-S., and Liu, C.-H. see Liu, C.-H.
Liu, C.-H., and Lee, Y.-S. State-space approach to the analysis and design of a synchronous phase convertor p164
Luo, F.L., Jackson, R.D., and Hill, R.J. Digital controller for thyristor current source p46

M

McLaren, P.G., and Oraee, H. Multiconductor transmission-line model for the line-end coil of large AC machines p149 e278
Mellitt, B., Allan, J., and Wu, W.Y. see Allan, J.
Midoun, A.H., and Bowes, S.R. see Bowes, S.R.
Mirbod, S.A., and Dunford, W.G. A capapacitor bank charger using a high-frequency link resonant circuit p327
Miyachi, K., Sawa, K., and Yamamoto, H. see Sawa, K.
Morfee, P.J., Bradley, D.A., and Wilson, L.A. see Bradley, D.A.
Murgatroyd, P.N., and Belahrache, D. Economic designs for single-layer toroidal inductors p315

O

Oraee, H., and McLaren, P.G. see McLaren, P.G.

P

Paul, R.J.A., Fleming, P.J., and Elsamahy, A.M. Adaptive microprocessor control of a linear helical reluctance motor p106
Paul, R.J.A., Fleming, P.J., and Elsamahy, A.M. Frequency-response identification of a linear helical reluctance motor p101
Pong, M.H., and Jackson, R.D. Computer-aided design of power electronic circuits p301

R

Ramshaw, R.S., and Xie, G. Dual model of a DC machine with gyrators p57
Rashid, M.H., and Bhadra, S.N. Filter design for multiphase DC choppers p77

S

Salama, M.M.A., Hannalla, A.Y., and Hackam, R. see Hannalla, A.Y.
Sawa, K., Yamamoto, H., and Miyachi, K. Analysis of armature circuit inductance of DC machines by FEM p307
Schoeman, J.J., van der Broeck, H.W., and van Wyk, J.D. see van der Broeck, H.W.
Shalaby, M. Phase-angle control of the repulsion/drive force ratio in two-phase linear induction motor with nonferromagnetic secondary p81
Spooner, E. DC traction motor with slotless armature p61
Spooner, E. Multilayer analysis of electromagnetic systems incorporating layers of discrete conductors p72

T

Tipping, D., and Hesmondhalgh, D.E. see Hesmondhalgh, D.E.

V

van Rhyn, P., and Bredenkamp, G.L. see Bredenkamp, G.L.
van Wyk, J.D., van der Broeck, H.W., and Schoeman, J.J. see van der Broeck, H.W.
van der Broeck, H.W., van Wyk, J.D., and Schoeman, J.J. On the steady-state and dynamic characteristics of bipolar transistor power switches in low-loss technology p251

W

Walton, S.J., and Boys, J.T. see Boys, J.T.
Wang, N., Wilson, A., and Jackson, R.J. see Wilson, A.
Williams, S. Direct drive system for an industrial robot using a brushless DC motor p53
Williamson, A.C., and Al-Khalidi, K.M.S. Starting of convertor-fed synchronous machine drives p209
Williamson, S., and Begg, M.C. Calculation of the bar resistance and leakage reactance of cage rotors with closed slots p125
Williamson, S., and Laithwaite, E.R. Generalised harmonic analysis for the steady-state performance of sinusoidally-excited cage induction motors p157
Wilson, A., Jackson, R.J., and Wang, N. Discharge detection techniques for stator windings p234
Wilson, L.A., Bradley, D.A., and Morfee, P.J. see Bradley, D.A.
Wu, W.Y., Allan, J., and Mellitt, B. see Allan, J.

X

Xie, G., and Ramshaw, R.S. see Ramshaw, R.S.

Y

Yamamoto, H., Sawa, K., and Miyachi, K. see Sawa, K.

Subject index

CHOPPERS

A gate-turn-off thyristor chopper for traction drives. J. Allan, B. Mellitt and W.Y. Wu p245
Chopper control of DC disc-armature motor using power MOSFETs. R.J. Hill and P. Cork p93
Computer-aided design of power electronic circuits. M.H. Pong and R.D. Jackson p301
Filter design for multiphase DC choppers. M.H. Rashid and S.N. Bhadra p77

CIRCUIT THEORY AND DESIGN

Dual model of a DC machine with gyrators. R.S. Ramshaw and G. Xie p57

COMPONENTS

Analysis of armature circuit inductance of DC machines by FEM. K. Sawa, H. Yamamoto and K. Miyachi p307
Economic designs for single-layer toroidal inductors. P.N. Murgatroyd and D. Belahrache p315

COMPUTER APPLICATIONS

Response improvements in industrial DC drives derived from optimal analysis. B.J. Cardwell and C.J. Goodman p171

COMPUTER SIMULATION

Computer-aided design of power electronic circuits. M.H. Pong and R.D. Jackson p301

COMPUTER-AIDED DESIGN

Microprocessor-based development system for PWM variable-speed drives. S.R. Bowes and T. Davies p18

CONDUCTORS AND CONDUCTIVITY

Multilayer analysis of electromagnetic systems incorporating layers of discrete conductors. E. Spooner p72

CONTROL EQUIPMENT AND APPLICATIONS

A gate-turn-off thyristor chopper for traction drives. J. Allan, B. Mellitt and W.Y. Wu p245
Adaptive microprocessor control of a linear helical reluctance motor. R.J.A. Paul, P.J. Fleming and A.M. Elsamahy p106
Chopper control of DC disc-armature motor using power MOSFETs. R.J. Hill and P. Cork p93
Filter design for multiphase DC choppers. M.H. Rashid and S.N. Bhadra p77
On the steady-state and dynamic characteristics of bipolar transistor power switches in low-loss technology. H.W. van der Broeck, J.D. van Wyk and J.J. Schoeman p251

CONTROL SYSTEMS

Microprocessor control of a 'hidden-link' convertor drive. P.H. Chappell and R.M. Davis p87
Suboptimal switching strategies for microprocessor-controlled PWM inverter drives. S.R. Bowes and A.H. Midoun p133 p344

CONVERTORS

A capapacitor bank charger using a high-frequency link resonant circuit. S.A. Mirbod and W.G. Dunford p327
Digital controller for thyristor current source. F.L. Luo, R.D. Jackson and R.J. Hill p46
Estimation of torque pulsation due to the behaviour of a convertor and an inverter in a brushless DC-drive system. S. Funabiki and T. Himei p215
On the steady-state and dynamic characteristics of bipolar transistor power switches in low-loss technology. H.W. van der Broeck, J.D. van Wyk and J.J. Schoeman p251
Single- to 3-phase transient phase conversion in induction motor drives. P.G. Holmes p289
Starting of convertor-fed synchronous machine drives. A.C. Williamson and K.M.S. Al-Khalidi p209
State-space approach to the analysis and design of a synchronous phase convertor. C.-H. Liu and Y.-S. Lee p164
The New Zealand harmonic legislation. D.A. Bradley, P.J. Morfee and L.A. Wilson p177

CYBERNETICS AND ROBOTICS

Direct drive system for an industrial robot using a brushless DC motor. S. Williams p53

DETECTION

Discharge detection techniques for stator windings. A. Wilson, R.J. Jackson and N. Wang p234

DIELECTRIC MATERIALS

A new method of solution of electric-field problems in nonisotropic materials with built-in conducting strips using the nodal method. A.Y. Hannalla, M.M.A. Salama and R. Hackam p223
Analysis of dielectric measurements on switchgear bushings in British Rail 25 kV electrification switching stations. A. Bradwell and G.A. Bates p1

DIGITAL CONTROL

A loss minimised sinusoidal PWM inverter. J.T. Boys and S.J. Walton p260
Digital controller for thyristor current source. F.L. Luo, R.D. Jackson and R.J. Hill p46

DISCHARGES, ELECTRIC

Discharge detection techniques for stator windings. A. Wilson, R.J. Jackson and N. Wang p234

ELECTROMAGNETIC THEORY

A new method of solution of electric-field problems in nonisotropic materials with built-in conducting strips using the nodal method. A.Y. Hannalla, M.M.A. Salama and R. Hackam p223
Multilayer analysis of electromagnetic systems incorporating layers of discrete conductors. E. Spooner p72

FILTERS AND FILTERING

Filter design for multiphase DC choppers. M.H. Rashid and S.N. Bhadra p77

GENERATORS

Discharge detection techniques for stator windings. A. Wilson, R.J. Jackson and N. Wang p234

INDUCTION MOTORS

Calculation of the bar resistance and leakage reactance of cage rotors with closed slots. S. Williamson and M.C. Begg p125
Generalised harmonic analysis for the steady-state performance of sinusoidally-excited cage induction motors. S. Williamson and E.R. Laithwaite p157
Helical motion induction motor. J.J. Cathey p112
Performance calculation for single-sided linear induction motors with a solid steel reaction plate under constant current excitation. J.F. Gieras, A.R. Eastham and G.E. Dawson p185
Phase-angle control of the repulsion/drive force ratio in two-phase linear induction motor with nonferromagnetic secondary. M. Shalaby p81
Single- to 3-phase transient phase conversion in induction motor drives. P.G. Holmes p289

INDUSTRIAL APPLICATIONS OF POWER

A capapacitor bank charger using a high-frequency link resonant circuit. S.A. Mirbod and W.G. Dunford p327
Economic designs for single-layer toroidal inductors. P.N. Murgatroyd and D. Belahrache p315

INSULATORS AND INSULATION

Multiconductor transmission-line model for the line-end coil of large AC machines. P.G. McLaren and H. Oraee p149 e278

INVERTERS

A loss minimised sinusoidal PWM inverter. J.T. Boys and S.J. Walton p260
Estimation of torque pulsation due to the behaviour of a convertor and an inverter in a brushless DC-drive system. S. Funabiki and T. Himei p215
Suboptimal switching strategies for microprocessor-controlled PWM inverter drives. S.R. Bowes and A.H. Midoun p133 p344

LINEAR MOTORS

Adaptive microprocessor control of a linear helical reluctance motor. R.J.A. Paul, P.J. Fleming and A.M. Elsamahy p106
Performance calculation for single-sided linear induction motors with a solid steel reaction plate under constant current excitation. J.F. Gieras, A.R. Eastham and G.E. Dawson p185
Phase-angle control of the repulsion/drive force ratio in two-phase linear induction motor with nonferromagnetic secondary. M. Shalaby p81

MAGNETIC DEVICES AND PROPERTIES

A miniature transformer-coupled high-speed synchronous motor. D.E. Hesmondhalgh and D. Tipping p319
Torque availability from small synchronous motors using high coercivity magnets. D.E. Hesmondhalgh and D. Tipping p279

MATHEMATICAL TECHNIQUES

Analysis of armature circuit inductance of DC machines by FEM. K. Sawa, H. Yamamoto and K. Miyachi p307

MICROPROCESSORS

Adaptive microprocessor control of a linear helical reluctance motor. R.J.A. Paul, P.J. Fleming and A.M. Elsamahy p106
Frequency-response identification of a linear helical reluctance motor. R.J.A. Paul, P.J. Fleming and A.M. Elsamahy p101
Microprocessor control of a 'hidden-link' convertor drive. P.H. Chappell and R.M. Davis p87
Microprocessor-based development system for PWM variable-speed drives. S.R. Bowes and T. Davies p18
Suboptimal switching strategies for microprocessor-controlled PWM inverter drives. S.R. Bowes and A.H. Midoun p133 p344

MODELLING

Multiconductor transmission-line model for the line-end coil of large AC machines. P.G. McLaren and H. Oraee p149 e278

MODULATION

A loss minimised sinusoidal PWM inverter. J.T. Boys and S.J. Walton p260

MOTORS

A loss minimised sinusoidal PWM inverter. J.T. Boys and S.J. Walton p260
A miniature transformer-coupled high-speed synchronous motor. D.E. Hesmondhalgh and D. Tipping p319

Chopper control of DC disc-armature motor using power MOSFETs. R.J. Hill and P. Cork p93
DC traction motor with slotless armature. E. Spooner p61
Direct drive system for an industrial robot using a brushless DC motor. S. Williams p53
Discharge detection techniques for stator windings. A. Wilson, R.J. Jackson and N. Wang p234
Dual model of a DC machine with gyrators. R.S. Ramshaw and G. Xie p57
Editorial. K.J. Binns p233
Generalised harmonic analysis for the steady-state performance of sinusoidally-excited cage induction motors. S. Williamson and E.R. Laithwaite p157
Helical motion induction motor. J.J. Cathey p112
Multiconductor transmission-line model for the line-end coil of large AC machines. P.G. McLaren and H. Oraee p149 p278
Parameters and performance of a high-field permanent-magnet synchronous. B.J. Chalmers, S.A. Hamed and G.D. Baines p117
Performance calculation for single-sided linear induction motors with a solid steel reaction plate under constant current excitation. J.F. Gieras, A.R. Eastham and G.E. Dawson p185

NETWORKS

The problems posed by electrical power supply to industrial installations. G. Bonnard p335

OPTIMAL CONTROL

Response improvements in industrial DC drives derived from optimal analysis. B.J. Cardwell and C.J. Goodman p171

POWER CONVERSION

The design of welder power supplies incorporating self-oscillating high-frequency transformer inverters. G.L. Bredenkamp and P. van Rhyn p202

POWER ELECTRONICS

Computer-aided design of power electronic circuits. M.H. Pong and R.D. Jackson p301
Economic designs for single-layer toroidal inductors. P.N. Murgatroyd and D. Belahrache p315
Microprocessor-based development system for PWM variable-speed drives. S.R. Bowes and T. Davies p18
On the steady-state and dynamic characteristics of bipolar transistor power switches in low-loss technology. H.W. van der Broeck, J.D. van Wyk and J.J. Schoeman p251
The design of welder power supplies incorporating self-oscillating high-frequency transformer inverters. G.L. Bredenkamp and P. van Rhyn p202

POWER SYSTEMS AND PLANT

The problems posed by electrical power supply to industrial installations. G. Bonnard p335

POWER TRANSMISSION AND DISTRIBUTION

The New Zealand harmonic legislation. D.A. Bradley, P.J. Morfee and L.A. Wilson p177

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

The design of welder power supplies incorporating self-oscillating high-frequency transformer inverters. G.L. Bredenkamp and P. van Rhyn p202
The problems posed by electrical power supply to industrial installations. G. Bonnard p335
Theoretical investigations into the use of conducting crucibles in medium-frequency metal melting. M.R. Kargahi and L. Hobson p269

RAILWAY ELECTRIFICATION AND TRANSPORTATION

A gate-turn-off thyristor chopper for traction drives. J. Allan, B. Mellitt and W.Y. Wu p245
Analysis of dielectric measurements on switchgear bushings in British Rail 25 kV electrification switching stations. A. Bradwell and G.A. Bates p1
Remote control of traction power over two wires. C.R. Avery and G. Crawshaw e60

RELUCTANCE MOTORS

Frequency-response identification of a linear helical reluctance motor. R.J.A. Paul, P.J. Fleming and A.M. Elsamahy p101

ROBOTICS

Direct drive system for an industrial robot using a brushless DC motor. S. Williams p53

SIMULATION

Dual model of a DC machine with gyrators. R.S. Ramshaw and G. Xie p57

SWITCHES AND SWITCHING THEORY

On the steady-state and dynamic characteristics of bipolar transistor power switches in low-loss technology. H.W. van der Broeck, J.D. van Wyk and J.J. Schoeman p251

SWITCHGEAR

Analysis of dielectric measurements on switchgear bushings in British Rail 25 kV electrification switching stations. A. Bradwell and G.A. Bates p1

SYNCHRONOUS GENERATORS

Synchronous machines with contrarotating armatures: steady-state behaviour. W.J. Bonwick and A.L.D. Ah Fock p195

SYNCHRONOUS MOTORS

A miniature transformer-coupled high-speed synchronous motor. D.E. Hesmondhalgh and D. Tipping p319
Microprocessor control of a 'hidden-link' convertor drive. P.H. Chappell and R.M. Davis p87
Parameters and performance of a high-field permanent-magnet synchronous. B.J. Chalmers, S.A. Hamed and G.D. Baines p117
Starting of convertor-fed synchronous machine drives. A.C. Williamson and K.M.S. Al-Khalidi p209
Synchronous machines with contrarotating armatures: steady-state behaviour. W.J. Bonwick and A.L.D. Ah Fock p195
Torque availability from small synchronous motors using high coercivity magnets. D.E. Hesmondhalgh and D. Tipping p279

THYRISTORS

A gate-turn-off thyristor chopper for traction drives. J. Allan, B. Mellitt and W.Y. Wu p245
Digital controller for thyristor current source. F.L. Luo, R.D. Jackson and R.J. Hill p46

TORQUE

Estimation of torque pulsation due to the behaviour of a convertor and an inverter in a brushless DC-drive system. S. Funabiki and T. Himei p215
Torque availability from small synchronous motors using high coercivity magnets. D.E. Hesmondhalgh and D. Tipping p279

TRACTION

DC traction motor with slotless armature. E. Spooner p61

TRANSIENTS

Single- to 3-phase transient phase conversion in induction motor drives. P.G. Holmes p289

TRANSISTORS

Chopper control of DC disc-armature motor using power MOSFETs. R.J. Hill and P. Cork p93

TRANSMISSION LINES

Multiconductor transmission-line model for the line-end coil of large AC machines. P.G. McLaren and H. Oraee p149 e278

Conference reports

IEE Colloquium on Gate-turnoff thyristors F.J. Burgum p345
IEE Colloquium on Improving industrial energy efficiency by electrical methods P.H. Johnson p297
Joint IEE and Institute of Metal Finishing Colloquium on electrofinishing for metals and plastics. M. McCormick p174

Book reviews

Convertor engineering: an introduction to operation and theory G. Moltgen p298
Power electronics and variable-speed drives p115
Power semiconductor drives S.B. Dewar, G.R. Sleman and A. Straughen p347
Power sources for electric vehicles: studies in electrical and electronic engineering: B.D. Nichol and D.A.J. Rand (Eds) p346
Superconducting rotating electrical machines J.R. Bumby p299